



Three Sigma

Code Audit



Maple Lending Protocol

Disclaimer

Code Audit

Maple Lending Protocol

Disclaimer

The ensuing audit offers no assertions or assurances about the code's security. It cannot be deemed an adequate judgment of the contract's correctness on its own. The authors of this audit present it solely as an informational exercise, reporting the thorough research involved in the secure development of the intended contracts, and make no material claims or guarantees regarding the contract's post-deployment operation. The authors of this report disclaim all liability for all kinds of potential consequences of the contract's deployment or use. Due to the possibility of human error occurring during the code's manual review process, we advise the client team to commission several independent audits in addition to a public bug bounty program.

Table of Contents

Code Audit

Maple Lending Protocol

Table of Contents

Disclaimer	3
Summary	7
Scope	9
Methodology	12
Project Dashboard	14
Code Maturity Evaluation	17
Findings	20
3S-Maple-L01	20
3S-Maple-L02	21
3S-Maple-N01	22
3S-Maple-N02	23
3S-Maple-N03	24
3S-Maple-N04	25
3S-Maple-N05	26
3S-Maple-N06	27
3S-Maple-N07	28
3S-Maple-N08	29
3S-Maple-N09	30
3S-Maple-N10	31
3S-Maple-N11	32
3S-Maple-N12	33
3S-Maple-N13	34

Summary

Code Audit

Maple Lending Protocol

Summary

Three Sigma audited Maple in a 4 person week engagement. The audit was conducted from 25-11-24 to 6-12-24.

Protocol Description

Maple Finance is an institutional crypto-capital network, which provides the infrastructure for credit experts to efficiently manage and scale crypto lending businesses and connect capital from institutional and individual lenders to innovative, blue-chip companies.

00000000	01 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00	
00000010	00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00	
00000020	00 00 00 00 3B A3 ED FD	7A 7B 12 B2 7A C7 2C 3E	:Éiýz{.
00000030	67 76 8F 61 7F C8 1B C3	88 8A 51 32 3A 9F B8 AA	gv.a.È.Ã~SQ
00000040	4B 1E 5E 4A 29 AB 5F 49	FF FF 00 1D 1D AC 2B 7C	K.^J)«_Iyy.
00000050	01 01 00 00 00 01 00 00	00 00 00 00 00 00 00 00	
00000060	00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00	
00000070	00 00 00 00 00 00 FF FF	FF FF 4D 04 FF FF 00 1D	ÿÿÿÿM
00000080	01 04 45 54 68 65 20 54	69 6D 65 73 20 30 33 2F	..EThe Tim
00000090	4A 61 6E 2F 32 30 30 39	20 43 68 61 6E 63 65 6C	Jan/2009 Ch
000000A0	6C 6F 72 20 6F 6E 20 62	72 69 6E 6B 20 6F 66 20	lor on brin
000000B0	73 65 63 6F 6E 64 20 62	61 69 6C 6F 75 74 20 66	second bail
000000C0	6F 72 20 62 61 6E 6B 73	FF FF FF FF 01 00 F2 05	or banksÿÿÿÿ
000000D0	2A 01 00 00 00 43 41 04	67 8A FD B0 FE 55 48 27	*....CA.gŠý
000000E0	19 67 F1 A6 71 30 B7 10	5C D6 A8 28 E0 39 09 A6	.gñ q0·.\Ö"
000000F0	79 62 E0 EA 1F 61 DE B6	49 F6 BC 3F 4C EF 38 C4	ybaê.ab¶IÖ%
00000100	F3 55 04 E5 1E C1 12 DE	5C 38 4D F7 BA 0B 8D 57	óU.å.Á.Þ\8M
00000110	8A 4C 70 2B 6B F1 1D 5F	AC 00 00 00 00	ŠLp+kñ._~..
00000000	30 31 30 30 30 30 30 30	36 66 65 32 38 63 30 61	0100000006f
00000010	62 35 66 31 62 33 37 32	63 31 61 36 61 32 34 36	b6f1b3726c1
00000020	62 35 36 33 66 37 34 66	39 33 31 65 38 33 36 35	ae63f7f4639
00000030	65 31 35 61 30 38 39 63	36 38 64 36 31 39 30 30	e15a089c638
00000040	30 30 30 30 30 30 30 30	39 38 32 30 35 31 66 64	00000009820
00000050	31 65 34 63 31 37 34 34	62 62 62 65 36 38 30 65	1e4ba7445bb
00000060	31 66 65 65 31 34 36 37	37 62 61 31 61 33 63 33	1fee1456376
00000070	35 34 30 62 66 37 62 31	63 64 62 36 30 36 65 38	5400bfb1bcd
00000080	35 37 32 33 33 65 30 65	36 31 62 63 36 36 34 39	57233e0e6bc
00000090	66 66 66 66 30 30 31 64	30 31 65 33 36 32 39 39	fff0001d01e
000000A0	30 31 30 31 30 30 30 30	30 30 30 31 30 30 30 30	01010000000
000000B0	30 30 30 30 30 30 30 30	30 30 30 30 30 30 30 30	00000000000
000000C0	30 30 30 30 30 30 30 30	30 30 30 30 30 30 30 30	00000000000
000000D0	30 30 30 30 30 30 30 30	30 30 30 30 30 30 30 30	00000000000
000000E0	30 30 30 30 30 30 30 30	30 30 30 30 66 66 66 66	00000000000
000000F0	66 66 66 66 30 37 30 34	66 66 66 66 30 30 31 64	ffff074ffff
00000100	30 31 30 34 66 66 66 66	66 66 66 66 30 31 30 30	0104ffffffffff
00000110	66 32 30 35 32 61 30 31	30 30 30 30 30 30 34 33	f2052a01000
00000120	34 31 30 34 39 36 62 35	33 38 65 38 35 33 35 31	4104946b538
00000130	39 63 37 32 36 61 32 63	39 31 65 36 31 65 63 31	9c726ac91e6
00000140	31 36 30 30 61 65 31 33	39 30 38 31 33 61 36 32	16000ae1390
00000150	37 63 36 36 66 62 38 62	65 37 39 34 37 62 65 36	7c66fb8be79
00000160	33 63 35 32 64 61 37 35	38 39 33 37 39 35 31 35	3c52da73589
00000170	64 34 65 30 61 36 30 34	66 38 31 34 31 37 38 31	d4e0a646381
00000180	65 36 32 32 39 34 37 32	31 31 36 36 62 66 36 32	e6224947321
00000190	31 65 37 33 61 38 32 63	62 66 32 33 34 32 63 38	1e73a823cbf
000001A0	35 38 65 65 61 63 30 30	30 30 30 30 30 30	58eacc00000
00000000	30 31 30 30 30 30 30 30	34 38 36 30 65 62 31 38	01000000486

Scope

Code Audit

Maple Lending Protocol

Scope

Filepath	Change Description
GlobalsV2/MapleGlobals.sol	Updated logic for canDeployFrom() to support strategies and compiler update
PoolV2/MaplePoolManager.sol	Updated logic to support strategies
PoolV2/MaplePoolDeployer.sol	New logic to deploy pools with strategies
PoolV2/MaplePool.sol	Compiler update only
PoolV2/MaplePoolDelegateCover.sol	Compiler update only
PoolV2/MaplePoolManagerInitializer.sol	Compiler update only
PoolV2/MaplePoolManagerStorage.sol	Updated variable names to support strategies
strategies/MapleAbstractStrategy.sol	New logic
strategies/MapleAaveStrategy.sol	New logic
strategies/MapleSkyStrategy.sol	New logic
strategies/MapleBasicStrategy.sol	New logic
strategies/MapleStrategyFactory.sol	Redeployment of previously audited factory
strategies/proxy/MapleAbstractStrategy.sol	New logic
strategies/proxy/aaveStrategy/MapleAaveStrategyInitializer.sol	New logic
strategies/proxy/aaveStrategy/MapleAaveStrategyStorage.sol	New logic
strategies/proxy/skyStrategy/MapleSkyStrategyInitializer.sol	New logic
strategies/proxy/skyStrategy/MapleSkyStrategyStorage.sol	New logic

strategies/proxy/basicStrategy/MapleBasicStrategyInitializer.sol	New logic
strategies/proxy/basicStrategy/MapleBasicStrategyStorage.sol	New logic

Globals v2: Diff since deployment: [Compare v3.0.0...v3.0.1-rc.0](#)

Pool v2: Diff since deployment: [Compare v3.0.0...v4.0.0-rc.0](#)

Maple Strategies: [Release: v1.0.0-rc.1](#)

Methodology

Code Audit

Maple Lending Protocol

Methodology

To begin, we reasoned meticulously about the contract's business logic, checking security-critical features to ensure that there were no gaps in the business logic and/or inconsistencies between the aforementioned logic and the implementation. Second, we thoroughly examined the code for known security flaws and attack vectors. Finally, we discussed the most catastrophic situations with the team and reasoned backwards to ensure they are not reachable in any unintentional form.

Taxonomy

In this audit we report our findings using as a guideline Immunefi's vulnerability taxonomy, which can be found at immunefi.com/severity-updated/. The final classification takes into account the severity, according to the previous link, and likelihood of the exploit. The following table summarizes the general expected classification according to severity and likelihood; however, each issue will be evaluated on a case-by-case basis and may not strictly follow it.

Severity / Likelihood	LOW	MEDIUM	HIGH
NONE	None		
LOW	Low		
MEDIUM	Low	Medium	Medium
HIGH	Medium	High	High
CRITICAL	High	Critical	Critical

Project Dashboard

Code Audit

Maple Lending Protocol

Project Dashboard

Application Summary

Name	Maple
Commit	5c3663cb950103c4db576ac2e1d962ba9c2ed340
Language	Solidity
Platform	Ethereum

Engagement Summary

Timeline	25-11-24 to 6-12-24
Nº of Auditors	2
Review Time	4 person weeks

Vulnerability Summary

Issue Classification	Found	Addressed	Acknowledged
Critical	0	0	0
High	0	0	0
Medium	0	0	0
Low	2	0	2

None	13	6	7
------	----	---	---

Category Breakdown

Suggestion	11
Documentation	0
Bug	1
Optimization	1
Good Code Practices	2

Code Maturity Evaluation

Code Audit

Maple Lending Protocol

Code Maturity Evaluation

Code Maturity Evaluation Guidelines

Category	Evaluation
Access Controls	The use of robust access controls to handle identification and authorization and to ensure safe interactions with the system.
Arithmetic	The proper use of mathematical operations and semantics.
Centralization	The presence of a decentralized governance structure for mitigating insider threats and managing risks posed by contract upgrades
Code Stability	The extent to which the code was altered during the audit.
Upgradeability	The presence of parameterizations of the system that allow modifications after deployment.
Function Composition	The functions are generally small and have clear purposes.
Front-Running	The system's resistance to front-running attacks.
Monitoring	All operations that change the state of the system emit events, making it simple to monitor the state of the system. These events need to be correctly emitted.
Specification	The presence of comprehensive and readable codebase documentation.
Testing and Verification	The presence of robust testing procedures (e.g., unit tests, integration tests, and verification methods) and sufficient test coverage.

Code Maturity Evaluation Results

Category	Evaluation
Access Controls	Satisfactory. The codebase has a strong access control mechanism.
Arithmetic	Satisfactory. The codebase uses Solidity version >0.8.0 as well as takes the correct measures in rounding the results of arithmetic operations.
Centralization	Weak. Certain roles have complete control of the funds.
Code Stability	Satisfactory. The code was stable during the audit.
Upgradeability	Satisfactory. All contracts are upgradeable.
Function Composition	Satisfactory. Certain components are similar, and the codebase would benefit from increased code reuse.
Front-Running	Satisfactory. Some Front-Running issues were found, but they can be operationally managed.
Monitoring	Satisfactory. Events are correctly emitted and Maple Finance keeps track of on chain activity.
Specification	Satisfactory. In-depth and well structured high-level specification as well as codebase documentation.
Testing and Verification	Satisfactory. Extensive test code coverage as well as usage of tools and different test methods.

Findings

Code Audit

Maple Lending Protocol

Findings

3S-Maple-L01

`MapleSkyStrategy::_gemForUsds()` suffers a rounding error up to approximately **1e12** Usds

Id	3S-Maple-L01
Classification	Low
Severity	Low
Likelihood	High
Category	Suggestion
Status	Acknowledged

Description

`MapleSkyStrategy::_gemForUsds()` computes `gemAmount_ = (usdsAmount_ * WAD) / (to18ConversionFactor * (WAD + tout));`. As can be seen, `to18ConversionFactor` is **1e12** for a Usdc gem, which leads to a rounding up to **1e12** Usds.

Recommendation

As the rounding error corresponds to only **1e-6** USD and the operation is not called frequently, it's safe to ignore it.

3S-Maple-L02

Aave and SavingsUsds strategies may revert when trying to withdraw all funds

Id	3S-Maple-L02
Classification	Low
Severity	Medium
Likelihood	Low
Category	Bug
Status	Acknowledged

Description

Withdrawing all the Aave or Usds balance from the strategy may revert when there is yield. It withdraws first the fee to the treasury, which internally rounds up in Aave and SavingUsds, then it withdraws the remaining of the funds, but as it rounded up when withdrawing before, it will revert.

For confirmation, run `testFork_aaveStrategy_withdraw_withFeesAndYield()`, change `warp` to `vm.warp(block.timestamp + 1980526)`; and just before the `withdrawFromStrategy()` call, add `amountToWithdraw = aaveToken.balanceOf(address(aaveStrategy)) - fee;`.

It will revert with **32**, which is the [error](#) for not enough balance.

Recommendation

Either accept the issue and send a slightly smaller amount to withdraw or cap the withdrawal to the maximum withdrawal value after the fee has been collected to the treasury.

3S-Maple-N01

MapleSkyStrategy does not always cache the **psm** and misses underscores

Id	3S-Maple-N01
Classification	None
Category	Optimization
Status	Addressed in #c5a61a6 , #2ff1e0f .

Description

MapleSkyStrategy::_gemForUsds() and **MapleSkyStrategy::_usdsForGem()** do not cache the **psm** nor add trailing underscores to **tout** and **to18ConversionFactor**.

Recommendation

Implement the fixes to ensure gas savings and correct formats.

3S-Maple-N02

Differences in the strategy implementations that could be fixed

Id	3S-Maple-N02
Classification	None
Category	Good Code Practices
Status	Addressed in #8d09a6a .

****Description****

The **MapleAaveStrategyStorage** contract is missing the **State Variables** separator comment that is present in other similar contracts like **MapleSkyStrategyStorage** and **MapleBasicStrategyStorage**.

****Recommendation****

To maintain consistency and improve code readability across all strategy storage contracts, it's recommended to add the **State Variables** separator comment to the **MapleAaveStrategyStorage** contract.

3S-Maple-N03

ERC4626::previewRedeem() may revert, which will DoS **MaplePool** withdrawals

Id	3S-Maple-N03
Classification	None
Category	Suggestion
Status	Acknowledged

Description

The **EIP4626** interface says for **previewRedeem()** that it may revert, which will DoS withdrawals in the **MaplePool**:

› MAY revert due to other conditions that would also cause redeem to revert.

Recommendation

This should be analyzed on a case by case basis for each underlying **ERC4626** vault.

3S-Maple-N04

The basic strategy does not have slippage control when withdrawing which may lead to arbitrage

Id	3S-Maple-N04
Classification	None
Category	Suggestion
Status	Acknowledged

Description

MapleBasicStrategy::withdrawFromStrategy() does not send an upper limit on the amount of shares minted, which means an unexpected loss may happen in case of slashing before the withdrawal from the **EIR4626** vault. Although many vaults do not have slashing abilities (such as the one tested, SavingsUsds), some may do which can cause this issue.

Recommendation

Consider adding slippage control on a case by case basis.

3S-Maple-N05

MapleSkyStrategy::assetsUnderManagement() uses **maxWithdraw()**, which may return 0

Id	3S-Maple-N05
Classification	None
Category	Suggestion
Status	Addressed in #c540e86 .

Description

MapleSkyStrategy::assetsUnderManagement() uses **maxWithdraw()**, which according to EIP4626 returns 0 when the withdrawal limit is reached or similar. The **SavingsUsds** contract is upgradeable, so even if it currently returns the correct value, it may be upgraded in the future, adding a withdrawal limit. This would bring concerns in regards to silently reporting 0 assets.

Recommendation

Although not a problem right now, consider calling **balanceOf()** followed by **previewRedeem()**.

3S-Maple-N06

MapleSkyStrategy:: setPsm() should set the old Psm's approval to 0

Id	3S-Maple-N06
Classification	None
Category	Suggestion
Status	Addressed in #6c9f85d .

Description

MapleSkyStrategy::setPsm() changes Psm, but does not set the old Psm approval to 0.

Recommendation

Set the old Psm approval to 0 as it is no longer needed.

3S-Maple-N07

tin in the **Psm** will cause an instant drop in the share price which could be leveraged by Maple Pool users

Id	3S-Maple-N07
Classification	None
Category	Suggestion
Status	Acknowledged

Description

Currently **tin** is null in the **Psm**, but if it was non null, it would instantly lead to a reduction in the **totalAssets()** in the Maple Pool, as a fee would be taken when converting **fundsAssets** to Usds in the Sky Strategy, when requesting funds.

This would allow Maple Pool users to frontrun the **MapleSkyStrategy::fundStrategy()** and withdraw, avoiding the fee, making unaware users pay for this. Then, they could redeposit to keep earning fees.

The damage is limited by the withdrawal mechanism.

Recommendation

Consider procedures to safely request funds without allowing users to escape the fee.

3S-Maple-N08

There may not be enough **gem**(Usdc) in the Psm contract, DoSing withdrawals in the Sky Strategy

Id	3S-Maple-N08
Classification	None
Category	Suggestion
Status	Acknowledged

Description

The **psm** contract may not have enough **gem** (USDC) in the pocket, which could revert and DoS withdrawals.

Recommendation

It's possible to change the **psm** address so the issue can be managed, but it could DoS withdrawals for some time.

3S-Maple-N09

Usdc to Usds calculation in the Sky Strategy is slightly different than the Psm Usds Wrapper

Id	3S-Maple-N09
Classification	None
Category	Good Code Practices
Status	Addressed in #771a479 .

Description

In the [psmWrapper](#), the Usds amount from the `gem` is calculated as `usdsInWad = gemAmt18 + gemAmt18 * psm.tout() / WAD;`, but in the Sky Strategy it is calculated as `(gemAmount_ * to18ConversionFactor * (WAD + tout)) / WAD;`.

Recommendation

Although the result is the same (including the rounding error), consider implementing the same exact formula.

3S-Maple-N10

The **DaiJoin** contract may be caged which will DoS withdrawals forever

Id	3S-Maple-N10
Classification	None
Category	Suggestion
Status	Acknowledged

Description

The `daiJoin` contract may be caged, which means `exit()` is DoSed forever. This is called in the `psmWrapper buyGem()`, `legacyDaiJoin.exit(address(this), usdsInWad);`, so it would be forever DoSed as there is no way to 'uncage'.

Recommendation

It's possible to set a new **Psm** in the Sky strategy but it is something to keep in mind.

3S-Maple-N11

Withdrawals in the Maple Pool and Sky Strategy may be DoSed in case the **DssLitePsm** halts buying

Id	3S-Maple-N11
Classification	None
Category	Suggestion
Status	Acknowledged

Description

The [DssLitePsm](#), used as part of the Usds Psm wrapper that allows converting **fundsAsset** to Usds in the Sky Strategy, may be halted by setting **tout** to **type(uint256).max**.

In this case, **MapleSkyStrategy::assetsUnderManagement()** would revert due to overflow when calculating the underlying balance of the strategy. As such, withdrawals would be DoSed in the Maple Pool.

Recommendation

The issue can be resolved by setting the pool to inactive, although other solutions are possible. In this case, halting withdrawals may actually be the desired outcome, but it's something to keep in mind.

3S-Maple-N12

Aave RewardsController can add Usdc to the rewards list and the strategy has no way to collect the rewards

Id	3S-Maple-N12
Classification	None
Category	Suggestion
Status	Addressed in #e2a6251 .

Description

The Aave strategy does not deal with the reward controller, so it could miss out on rewards emitted in case the **fundsAsset** is listed in the RewardsController.

Recommendation

Although the RewardsController does not currently emit rewards for Usdc, which is the asset that is going to be supported, consider adding the functionality to collect rewards.

3S-Maple-N13

Inactive or Impaired pool creates arbitrage oportunities

Id	3S-Maple-N13
Classification	None
Category	Suggestion
Status	Acknowledged

Description

When **assetsUnderManagement()** decreases, a window of opportunity is created for people to stake in the maple pool very cheaply and then sell for profit when it becomes active again or the protocol admin calls **withdrawFromStrategy()**.

For inactive:

This [test](#) shows that users may stake in the maple pool and get a lot of shares, protocol admin withdraws from strategy, instantly increasing the total assets of the pool.

pool.totalAssets() goes from **poolLiquidity - amountToFund** to **poolLiquidity - amountToFund + amountToWithdraw** instantly, so a user stakes like 1000, gets 1000 shares, protocol admin withdraws from strategy and then user redeems for 1500 assets.

For impairment:

This [test](#) shows that users can do the same thing, but the profit is much smaller, as only the fee in **pool.totalAssets()** differs from before and after **withdrawFromStrategy()**.

Recommendation

This can be managed operationally by disabling deposits in the pool while the strategy is impaired/inactive.